## **Product Information** AVENO DXS 0W-20

0002-000902



## Description

AVENO DXS 0W-20 is a synthetic smooth-running engine oil for petrol car engines with or without turbocharging and direct injection. AVENO DXS 0W-20 is characterized by its excellent cold starting properties, minimization of fuel consumption, friction and wear. Extended oil change intervals as per manufacturer's instructions.

## Instructions for use

AVENO DXS 0W-20 is an energy-efficient engine oil for year-round use, and is ideal for modern petrol car engines. According to Dexos1 Gen3 specification it is recommended for General Motors under all operating conditions. The operating instructions of the car and engine manufacturers must be observed.

Quality classification	
Specification	
• API SP (RC) • ILSAC GF-5/GF-6A	• API SN Plus (RC) • API SN Plus
Recommendation	
<ul> <li>Chrysler MS-6395</li> <li>dexos1<sup>™</sup> Gen3</li> <li>Fiat 9.55535-GSX/-CR1</li> </ul>	<ul> <li>Ford WSS-M2C947-B1, Ford WSS-M2C962-A</li> <li>GM 6094M</li> </ul>

• A very stable and excellent viscosity behavior and shear stability

• Excellent protection against wear, corrosion and foaming

• A secure lubricant film at very high operating temperatures

• Very good detergent and dispersing properties

## Properties

- Fuel savings under all operating conditions
- Neutrality towards sealants
- Suitable for catalytic converters
- High oxidation stability
- Excellent cold starting properties

Technical specifications				
Properties	Data	Unit	Testing under	
Kinematic Viscosity at 40°C	45.0	mm²/s	DIN 51659-2:2017-02	
Kinematic Viscosity at 100°C	8.5	mm²/s	DIN 51659-2:2017-02	
Viscosity Index	168		DIN ISO 2909:2004-08	
Appearance	YELLOWBROWN		VISUELL	
Density at 15°C	845	kg/m³	DIN EN ISO 12185:1997-11	
Flash Point	228		DIN EN ISO 2592:2018-01	
Pour Point	-48	°C	ASTM D 7346:2015	

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments of the Deutsche Ölwerke Lubmin GmbH. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.